

CAT.3 90° UTP PUNCH DOWN KEYSTONE JACK



BRIEF

CAT.3 90° UTP Punch Down Keystone Jack Designed with 90° configuration for efficient space management In wall plates and patch panels. and Supports CAT.3 UTP cabling, ideal for voice and low-speed data

FEATURES

Accommodates 24-26 AWG solid wire with T568A & T568B wiring schemes 90-degree design, compatible with 24 port applications and faceplates

High hardness phosphor bronze IDC, great electrical conductivity and oxidation resistance Press-fit technique for ECO- friendly and solder-free

ORDERING INFORMATION

PRODUCT REFERENCE	DESCRIPTION
SW122 0212	CAT.3 90° UTP Punch Down Keystone Jack

CAT.3 90° UTP Punch Down Keystone Jack.

Manufactured by Elsewedy Telecom Cables A.R.E., 10th of Ramadan City, Industrial Zone (A3), Egypt.

CONNECTION MODULES · RJ11 TELEPHONE JACK · CAT 3 UTP PUNCH DOWN

SPECIFICATIONS

Insertion life	750 Mating Cycles with FCC Compliant RJ45	IDC house	PC, UL94V-00
Mating & un-mating force:	Max. 200N	Insulation resistance	500 M 9)
Contact force	100 Grams with FCC Compliant RJ45 Plug	Dielectric with standing voltage	1000V AC
Retention Strength	7.7KQ between Jack and plug	DC current rating	1.5 Amps.
Plug retention force	qT LBF MIN	IDC contact	Phosphor Bronze, Tin Over Nickel Undercoat
Durability	200 Termination Cycles	DC resistance	0.1 9)
Keystone jack housing	ABS, UL94V-0	Contact resistance	20M 9)
Spring pin	Phosphor bronze, 50U" Gold Plated	PCB	FR4, UL 94V-0

STANDARD COMPLIANCE

Insertion life	ANSI/TIA-568.2-D
Mating & un-mating force:	UL Certified & ROHS Compliant
mating & un -	Certified RoHS UL &

SPECIFICATIONS · SOURCE NOTES

mating & un - current DC resistance DC LBF 11 - 0 - 0 Undercoat kel - 10 °C to °C Termination 200 M Amps. 1.5 - 0 18 90% -
--

CONNECTION MODULES · RJ11 TELEPHONE JACK · CAT 3 UTP PUNCH DOWN

DESIGN

